

Biomechanical assessment of outputs of surgical treatment of patients with complex fragments of lower limbs

Vahitov B., Pankov I., Kh Vahitov I., Nagmatullin V., Vahitov L.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© Published under licence by IOP Publishing Ltd. Studies of static-dynamic disorders, with the use of new, progressive technologies in the post-traumatic period becoming increasingly practical. We conducted studies of the support, dynamic function of the lower limbs, balance in a vertical rack in 20 healthy individuals (comparison group) in order to determine the normal values of the biomechanical research indices. Of all studied women 12, men 8. All subjects were of working age (25-55 years). The median age was 40 years. Of particular interest are data from biomechanical studies of the support, dynamic function of the lower extremities, sensory balance, conducted in 18 patients with fractures of the joint region of the lower leg bones in the dynamics at terms 9-12 and 18-24 months after the operation. In the study of the balance, there were found disturbances in the influence of the somatosensory, visual and vestibular systems on maintaining the balance of the body. Each balance study included a series of open and closed eyelids in a vertical patient stand with lower limbs straight in the knee joints on hard and soft (foamy) surfaces. The application of the hardware-software evaluation of the support-dynamic function of the lower extremities by the type of stabilometry at the rehabilitation stages will allow to identify and carry out the prevention of serious post-traumatic complications at an early stage of the disease.

<http://dx.doi.org/10.1088/1757-899X/412/1/012078>

References

- [1] Davydov O D, Montile A I and Marchuk Y V 2012 A new way to diagnose the functional state of the musculoskeletal system based on the results of stabilographic studies (Ekaterinburg) 45-47 Collected theses of the III Congress of Traumatology-Orthopedists of the Ural Federal District "Chaklinsky Readings
- [2] Ryabchikov I V and Pankov I O 2013 Evaluation of the dynamic function of the lower extremities of patients after surgical treatment of fractures of the distal articular region of the lower leg bones in the process of restorative treatment Elektr. sci. Journal of Contemporary Problems of Science and Education
- [3] Pankov I O and Ryabchikov I R 2013 Changes in the dynamic function of the lower extremity of patients after surgical treatment of fractures of the distal joint region of the lower leg bones during medical rehabilitation Elektr. sci. Journal of Contemporary Problems of Science and Education
- [4] Pankov I O and Ryabchikov I R 2014 Our experience in restoring the supporting, dynamic function of the lower extremity, the balance of patients with complex fractures of the distal joint region of the lower leg bones Elektr. sci. Journal of Contemporary Problems of Science and Education
- [5] Ryabchikov I V and Pankov I O 2013 Evaluation of the impact of medical rehabilitation on the restoration of the dynamic function of the lower limbs of patients after surgical treatment of fractures of the ankle area Elektr. sci. Journal of Contemporary Problems of Science and Education

- [6] Arkhipov L K and Lychagin A V 2000 Modern aspects of the treatment of posttraumatic deforming arthrosis of the ankle joint Vestnik travmatol. and orthop. them. N. N. Priorov 4 64-67
- [7] Antoniadi Yu V, Berdyugin and Galyautdinov A F 2006 Modern technologies in the fracture of the ankles Traumatology and orthop 22 Russia
- [8] Babelo O Yu, Sviridov A I and Bobrova O V 2002 The device of its own design for the treatment of ankle joint damage Materials of the VII Congress of Traumatologists-Orthopedists of Russia 2 387-8